

FCR 21/120

ACCESSORIES PRODUCT-NO.: 071331

The main features

Replaceable copper heating element

For matching to individual usage scenarios

High hot water convenience thanks to powerful heating elements

Variable temperature setting via rotary selector





FCR 21/60 Product-No.: 071330



FCR 28/120 E Product-No.: 000694









| Туре | FCR 21/60 | FCR 21/120 | FCR 28/120 E |
|----------|-----------|------------|--------------|
| Part no. | 071330 | 071331 | 000694 |

Technical data

| Connected load ~ 230 V | 2-4 kW | 4 kW | |
|------------------------|---------------------|--------------------------|----------------|
| Connected load ~ 400 V | 2-6 kW | 8/12 kW | 12 kW |
| Power supply | 1/N/PE, 3/N/PE | 1/N/PE, 2/ N/PE, 3/PE | 3/PE |
| Rated voltage | 230/400 V | 230/400 V | 400 V |
| Coil voltage | 230 V | 230 V | 400 V |
| Frequency | 50/60 Hz | 50/60 Hz | 50 Hz |
| Version | Dual/single circuit | Single circuit | Single circuit |
| Integral contactor | X | - | X |
| IP rating | IP24 | IP24 | IP24 |
| Immersion depth | 400 mm | 400 mm | 325 mm |
| Flange diameter | 210 mm | 210 mm | 280 mm |
| | | | |



Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 436 96

Or send an e-mail to

sales@stiebel-eltron.ie

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.