


# CON 15 Premium U

## CONVECTORS

PRODUCT-NO.: 200269

The wall mounted convector – a unique combination of functionality and aesthetics. This appliance enhances its environment not only by providing pleasant heat, but also through its high quality design.

Using the integral controller, the comfort temperature can be precisely controlled by means of a weekly timer or boosted for several minutes with the push of a button. When the room is ventilated, the heater switches off automatically.



### The main features

Permanent connection with FIL control core

---

Wall mounted convector – ideal as an auxiliary heater or interim heater in spring/autumn

---

Even, quiet, air heating

---

Operating controls with illuminated LCD screen

---

Weekly timer, 120-minute timer, frost protection and open window detection

---

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

---

ON/OFF switch and overheating protection

---

Two-stage fan heater for wall mounting



Type	CON 5 Premium U	CON 10 Premium U	CON 15 Premium U
Part no.	201278	200268	200269

## Wärmeleistung

Rated heating output P <sub>nom</sub>	0.50 kW	1.00 kW	1.50 kW
Minimum heating output (standard value) P <sub>min</sub>	0.00 kW	0.00 kW	0.00 kW
Maximum continuous heating output P <sub>max,c</sub>	0.50 kW	1.00 kW	1.50 kW

## Hilfsstromverbrauch

Auxiliary power consumption with rated heating output el <sub>max</sub>	0.00 kW	0.00 kW	0.00 kW
Auxiliary power consumption with minimum heating output el <sub>min</sub>	0.00 kW	0.00 kW	0.00 kW
Auxiliary power consumption in standby mode el <sub>SB</sub>	0.00 kW	0.00 kW	0.00 kW


## Art der Wärmeleistung/Raumtemperaturkontrolle

Type of heating output/room temperature control: Single stage heating output, no room temperature control	-	-	-
Type of heating output/room temperature control: Two or more manually adjustable stages, no room temperature control	-	-	-
Type of heating output/room temperature control: Room temperature control with mechanical thermostat	-	-	-
Type of heating output/room temperature control: With electronic room temperature control	-	-	-
Type of heating output/room temperature control: Electronic room temperature control and time of day control	-	-	-
Type of heating output/room temperature control: Electronic room temperature control and day of week control	x	x	x

## Sonstige Regelungsoptionen

Other control options: Room temperature control with presence detection	-	-	-
Other control options: Room temperature control with window open detection	x	x	x
Other control options: With remote control option	-	-	-
Other control options: With adaptive control of heating startup	x	x	x
Other control options: With operating time limitation	-	-	-
Other control options: With black bulb sensor	-	-	-





Type	CON 20 Premium U	CON 30 Premium U
Part no.	200270	200276

## Wärmeleistung

Rated heating output P <sub>nom</sub>	2.00 kW	3.00 kW
Minimum heating output (standard value) P <sub>min</sub>	0.00 kW	0.00 kW
Maximum continuous heating output P <sub>max,c</sub>	2.00 kW	3.00 kW

## Hilfsstromverbrauch

Auxiliary power consumption with rated heating output el <sub>max</sub>	0.00 kW	0.00 kW
Auxiliary power consumption with minimum heating output el <sub>min</sub>	0.00 kW	0.00 kW
Auxiliary power consumption in standby mode el <sub>SB</sub>	0.00 kW	0.00 kW

## Art der Wärmeleistung/Raumtemperaturkontrolle

Type of heating output/room temperature control: Single stage heating output, no room temperature control	-	-
Type of heating output/room temperature control: Two or more manually adjustable stages, no room temperature control	-	-
Type of heating output/room temperature control: Room temperature control with mechanical thermostat	-	-
Type of heating output/room temperature control: With electronic room temperature control	-	-
Type of heating output/room temperature control: Electronic room temperature control and time of day control	-	-
Type of heating output/room temperature control: Electronic room temperature control and day of week control	x	x

## Sonstige Regelungsoptionen

Other control options: Room temperature control with presence detection	-	-
Other control options: Room temperature control with window open detection	x	x
Other control options: With remote control option	-	-
Other control options: With adaptive control of heating startup	x	x
Other control options: With operating time limitation	-	-
Other control options: With black bulb sensor	-	-

Depth including wall mounting bracket

---

**Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 436 96

Or send an e-mail to

[sales@stiebel-eltron.ie](mailto:sales@stiebel-eltron.ie)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.