


# CK 20 trend LCD

RAPID HEATER PRODUCT-NO.: 236653

If you need heat particularly quickly, this rapid heater is perfect for you. It produces your preferred temperature straight away and does not require much in return: a power socket is all that is needed to connect this electrical appliance.





### The main features

Wall mounted convector - ideal as a supplementary heater or interim heater in spring/autumn

Very quick heating of rooms

Compact appliance in a plastic casing

Operating controls with illuminated LCD screen

Weekly timer, frost protection and open window detection

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

Maximum safety thanks to three-stage overheating protection





Туре	CK 20 trend LCD
Part no.	236653

## Wärmeleistung

Rated heating output Pnom	2.00 kW
Minimum heating output (standard value) Pmin	0.00 kW
Maximum continuous heating output Pmax,c	2.00 kW

## Hilfsstromverbrauch

Auxiliary power consumption with rated heating output elmax	0.00 kW
Auxiliary power consumption with minimum heating output elmin	0.00 kW
Auxiliary power consumption in standby mode eISB	0.00 kW

# Art der Wärmeleistung/Raumtemperaturkontrolle

Type of heating output/room temperature control: Single stage heating output, no room temperature control	-
Type of heating output/room temperature control: Two or more manually adjustable stages, no room temperature control	-
Type of heating output/room temperature control: Room temperature control with mechanical thermostat	-
Type of heating output/room temperature control: With electronic room temperature control	-
Type of heating output/room temperature control: Electronic room temperature control and time of day control	-
Type of heating output/room temperature control: Electronic room temperature control and day of week control	х

# Sonstige Regelungsoptionen

Other control options: Room temperature control with presence detection	-
Other control options: Room temperature control with window open detection	Х
Other control options: With remote control option	-
Other control options: With adaptive control of heating startup	х
Other control options: With operating time limitation	-
Other control options: With black bulb sensor	-



Depth including wall mounting bracket



### **Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:
Call 0151 436 96
Or send an e-mail to

sales@stiebel-eltron.ie

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.